Effective Date: 2020/06/15 DG2049748E

SAFETY DATA SHEET

Rechargeable Li-ion Battery FH48074

Pylon Technologies Co., Ltd.

• According to GHS (Eighth Revised Edition)



Section 1 Product and Company Identification

> Product Identifier

Product Name Rechargeable Li-ion Battery ForceH1-FH48074

Synonyms -

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Uses Please consult manufacturer.

Uses Advised Against Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name Pylon Technologies Co., Ltd.

Application Address

No.73, Lane 887, Zu Chongzhi Road, Zhangjiang Hi-Tech Park Pudong,

Shanghai 201203, China

Applicant Post Code 200120

Applicant Telephone +86-21-51317697

Applicant E-mail xu.min@pylontech.com.cn
Supplier Name Pylon Technologies Co., Ltd.

Supplier Address

Plant 8, No.505 Kunkai Road, Jinxi Town, Kunshan City, Jiangsu Province,

PEOPLE'S REPUBLIC OF CHINA

Supplier Post Code 215300

Supplier Telephone +86-21-51317697

Supplier E-mail xu.min@pylontech.com.cn

Details of Australian local Importer

Importer Name Forte Powertech P/L

Importer Address 2/16 Ellemsea Circuit Ionsdale SA 5160, Australia

Importer Telephone 1300 086 898

Importer Email info@fortepowertech.com.au

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class

This product meets the definition of an article. Under the Globally Harmonized System of Classification and Labeling of Chemicals (GHS), "Articles" as defined in the Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, or by similar definition, are outside the scope of the system. [Rev.8 (2019) Part 1.3.2.1.1]

> GHS Label Elements

Pictogram Not applicable

Signal Word Not applicable

> Hazard Statements

Not applicable

> Precautionary Statements

Prevention

Do not open or disassemble.

Do not expose to high temperatures or open fire.

Do not mix with batteries of varying sizes, chemistries or types.

Avoid using external impact battery.

Response

Not applicable

Storage

Store under roof in cool, dry, well-ventilated areas.

Disposal

Dispose of contents/container in accordance with local/regional/national/

international regulations.

Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Lithium Iron Phosphate	Commercial secrets	15365-14-17	-
Graphite	Commercial secrets	7782-42-5	231-955-3
Copper	Commercial secrets	7440-50-8	231-159-6
Aluminium	Commercial secrets	7429-90-5	231-072-3
Poly(vinylidene difluoride)	Commercial secrets	24937-79-9	200-867-7
Carbon black	Commercial secrets	1333-86-4	215-609-9
Polyacrylic acid	Commercial secrets	9003-01-4	202-415-4
Lithium hexafluorophosphate	Commercial secrets	21324-40-3	244-334-7
Nickel	Commercial secrets	7440-02-0	231-111-4

Section 4 First Aid Measures

> Description of First Aid Measures

Immediate medical attention is required. Show this safety data sheet (SDS) to **General Advice**

the doctor in attendance.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a **Eye Contact**

physician if feel uncomfortable.

Take off contaminated clothing and shoes immediately. Wash off with plenty of **Skin Contact** water for at least 15 minutes and consult a physician if feel uncomfortable.

Do not induce vomiting. Never give anything by mouth to an unconscious

Ingestion person. Call a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use **Inhalation** mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately. Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Protecting of First-aiders

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing Media

Dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- **2** Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

- **1** Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- **3** Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- **2** Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- **3** Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- **4** Keep away from heat/sparks/open flames/ hot surfaces.
- **5** Take precautionary measures against static discharges.

> Precautions for Storage

- **1** Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- **3** Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Region	Limit Value	e - Eight Hours	Limit Value - Short Term		
Component	Country/Region	ppm	mg/m³	ppm	mg/m³	
	USA - OSHA	-	15	-	-	
	South Korea	-	2	-	-	
Graphite	Ireland	-	10	-	-	
7782-42-5	Germany (DFG)	-	4	-	-	
	Denmark	-	2.5	-	5	
	Australia	-	3 (4)	-	-	
	The Netherlands	-	0.1	-	-	
Copper	Poland	-	0.2	-	-	
7440-50-8	Latvia	-	0.5	-	1	
	Germany (DFG)	-	0.01	-	0.02	
	USA - OSHA	-	15	-	-	
	South Korea	-	10	-	-	
Aluminium	Ireland	-	1	-	-	
7429-90-5	Germany (DFG)	-	4	-	-	
	Denmark	-	5	-	10	
	Australia	-	10	-	-	
	USA - OSHA	-	3.5	-	-	
	South Korea	-	3.5	-	-	
Carbon black	Ireland	-	3.5	-	7	
1333-86-4	France	-	3.5	-	-	
	Denmark	-	3.5	-	7	
	Australia	-	3	-	-	
Nickel	USA - OSHA	-	1	-	-	
7440-02-0	South Korea	-	1	-	-	

Ireland	-	0.5	-	-
Hungary	-	0.1	-	0.1
Denmark	-	0.05	-	0.1
Australia	-	1	-	-

Biological Limit Values

Component	Source	Biological monitoring index	Biological limits value	Sampling time	remar k
Lithium hexafluoropho sphate	SCOEL(EU)	Fluorine/urine	8mg/L	end of shift	

Monitoring Methods

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- **1** Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to **Hand Protection**

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

experienced, use a full-face respirator with multi-purpose combination (US) or **Respiratory protection**

type AXBEK (EN 14387) respirator cartridges.

Skin and

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 **Physical and Chemical Properties**

Appearance: Li-ion battery, individually packaged, Odor: No information available

48V 74Ah 3552Wh

Odor Threshold: No information available

Body

Melting Point/Freezing Point (°C): No information Initial Boiling Point and Boiling Range (°C): No

available

Flash Point (°C)(Closed Cup): Not applicable

Flammability: No information available

Vapor Pressure (KPa): Not applicable Relative Density(Water=1): No information

available

n-Octanol/Water Partition Coefficient: No

information available

Decomposition Temperature (°C): No information

available

Particle characteristics: No information available

pH: No information available

information available

Evaporation Rate: Not applicable

Upper/lower explosive limits[%(v/v)]: Upper limit: No information available; Lower limit: No information

available

Relative Vapour Density(Air = 1): Not applicable

Solubility: No information available

Auto-Ignition Temperature(°C): No information

available

Kinematic Viscosity (mm²/s): Not applicable

Section 10 Stability and Reactivity

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of

Mixtures with metallic acetylene, when heated, cause a fire or incandescence.

Hazardous Reactions Reacts severely with halogens, interhalogens or other strong oxidants, or

causes a fire. Ultrafine powder will self-ignite in the air at room temperature.

Conditions to Avoid

Incompatible materials, heat, flame and spark.

Incompatible Materials Metal acetylide, halogen, interhalogen, halogen oxides, nitric acid, nitrous

oxide, nitrates, nitrites, halogen oxyacid salts, chromates, permanganates,

inorganic peroxides, metal oxides and peroxyformic acid. Halogen,

interhalogen, strong oxidant, water and acids. Oxidants, halogen, interhalogen

and mercury.

Hazardous

Decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
Polyacrylic acid	9003-01-4	2500mg/kg(Rat)	No information available	No information available
Carbon black	1333-86-4	> 15400mg/kg(Rat)	> 3000mg/kg(Rabbit)	No information available

> Skin Corrosion/Irritation

No information available

> Serious Eye Damage/Irritation

No information available

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	15365-14-17	Lithium Iron Phosphate	Not Listed	Not Listed
2	7782-42-5	Graphite	Not Listed	Not Listed
3	7440-50-8	Copper	Not Listed	Not Listed
4	7429-90-5	Aluminium	Not Listed	Not Listed
5	24937-79-9	Poly(vinylidene difluoride)	Not Listed	Not Listed
6	1333-86-4	Carbon black	Category 2B	Not Listed
7	9003-01-4	Polyacrylic acid	Category 3	Not Listed
8	21324-40-3	Lithium hexafluorophosphate	Not Listed	Not Listed
9	7440-02-0	Nickel	Category 2B	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae	
Aluminium	7429-90-5	LC ₅₀ : 1.55mg/L	No information	No information	
Aluminium 7429-90-5 (96h)(Fish)		(96h)(Fish)	available	available	
Nickel	7440-02-0	LC ₅₀ : 40mg/L (96h)(Fish)	EC ₅₀ : 1mg/L (48h)	No information available	
Copper	7440-50-8	LC ₅₀ : 0.665mg/L (96h)(Fish)	EC ₅₀ : 0.02mg/L (48h)	ErC ₅₀ : 7.9mg/L (96h)	

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability

No information available

Bioaccumulative

Potential

No information available

Mobility in Soil

No information available

Lithium Iron Phosphate does not meet the criteria for PBT and vPvB according

to Regulation (EC) No 1907/2006, annex XIII.

Graphite does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Copper does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Aluminium does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Results of PBT and vPvB Assessment

Poly(vinylidene difluoride) does not meet the criteria for PBT and vPvB

according to Regulation (EC) No 1907/2006, annex XIII.

Carbon black does not meet the criteria for PBT and vPvB according to

Regulation (EC) No 1907/2006, annex XIII.

Polyacrylic acid does not meet the criteria for PBT and vPvB according to

Regulation (EC) No 1907/2006, annex XIII.

Lithium hexafluorophosphate does not meet the criteria for PBT and vPvB

according to Regulation (EC) No 1907/2006, annex XIII.

Nickel does not meet the criteria for PBT and vPvB according to Regulation (EC)

No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals

Before disposal should refer to the relevant national and local laws and

regulation. Recommend the use of incineration disposal.

Contaminated Packaging Disposal

Recommendations

Refer to section 13.1and 13.2.

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Section 14 Transport Information

Transporting Label



Marine pollutant None

UN Number

3480

UN Proper Shipping

LITHIUM ION BATTERIES(including lithium ion polymer batteries)

Transport Hazard Class

9

Transport Subsidiary

NONE

Hazard Class
Packing Group

Packagings shall conform to the packing group II performance level

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Lithium Iron Phosphate	×	×	×	×	×	×	×	×	×
Graphite	√	√	√	√	√	√	√	√	×
Copper	√	√	√	√	√	√	√	√	×
Aluminium	√	√	√	√	√	√	√	√	×
Poly(vinylidene difluoride)	×	√	√	√	√	√	√	√	√
Carbon black	√	√	√	√	√	√	√	√	×
Polyacrylic acid	×	√	√	√	√	√	×	√	√
Lithium hexafluorophosph ate	√	√	×	√	×	√	√	√	×
Nickel	√	√	√	√	√	√	√	√	×

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.

[AICS] Australia Inventory of Chemical Substances.

[ENCS] Existing And New Chemical Substances.

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

 Creation Date
 2020/06/15

 Revision Date
 2020/06/15

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.