

Safety Data Sheet (SDS)

Report No.: HGNM21LUT3

Effective Date: 2021/09/16



Product Name: Rechargeable Li-ion Battery H32148-C 32V 148Ah 4736Wh

Applicant: Pylon Technologies Co., Ltd.

Supplier: Pylon Technologies Co., Ltd.

Prepared basis: UN GHS (the 8th Revised Edition)

Please refer to the annex to this report for the SDS.



Disclaimer

1. This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th Revised Edition).
2. This SDS is issued based on the information provided by the applicant, and the applicant guarantees that the information provided is true, accurate, complete and effective.
3. Information from applicant is key of this SDS, so the company will not respond for the wrong of applicant.
4. The data in the SDS comes from international authoritative databases and information submitted by the applicant. However, due to the diversity of information sources and the limitations of our knowledge, this SDS is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes.
5. The SDS shall not be transferred, misappropriated, fraudulently used, altered, or tampered with in any form of media.
6. This SDS is valid before the implementation of the new version of the standard.



Safety Data Sheet

Rechargeable Li-ion Battery H32148-C 32V 148Ah 4736Wh

Version: V2.0.0.1

Report No.: HGNM21LUT3

Creation Date: 2021/09/15

Revision Date: 2021/09/15

*Prepared according to UN GHS (the 8th revised edition)

Identification

Product identifier

Product Name	Rechargeable Li-ion Battery H32148-C 32V 148Ah 4736Wh H32148-C
	**H32148-C is the battery module for battery system PowerCube-M1-C-32/zzzV-L10 (zzz=32~864, in steps of 32)

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
	Please consult manufacturer.

Details of the supplier

Supplier Name	Pylon Technologies Co., Ltd.
Supplier Address	No. 73, Lane 887, Zu Chongzhi Road, Zhangjiang Hi-Tech Park, Pudong, Shanghai 201203, China
Fax Number	021-5137698
Telephone Number	021-5137697
E-mail address	sales@pylontech.com.cn

Details of the Importer

Name of the Importer	FORTE POWERTECH PTY LTD
Address of the Importer	1/47 Ellemsea Circuit , Lonsdale SA 5160, Australia
Telephone Number	1300 086 898
E-mail address	info@fortepowertech.com.au

Emergency phone number

	+86-021-51317699, 1300 086 898
--	--------------------------------

Hazard(s) identification

Hazard classification according to GHS

Hazard classification according to GHS	The product meets the definition of "article". In the Globally Harmonized Chemical Classification and Labeling System (GHS), the "articles" defined by the US Occupational Safety and Health Administration "Hazard Communication Standard" (29 CFR 1910.1200) or similar definitions do not fall within the scope of this system. [Rev. 8 (2019) Part 1.3.2.1.1].
--	--

GHS Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable

Hazard statements

Hazard statements	Not applicable
-------------------	----------------

Precautionary statements

◆ Prevention

Prevention	Not applicable
------------	----------------

◆ Response

Response	Not applicable
----------	----------------

◆ Storage

Storage	Not applicable
---------	----------------

◆ Disposal

Disposal	Not applicable
----------	----------------

Hazard description

◆ Physical and chemical hazards

	When the outer enclosure and safety circuits have been compromised or have been significantly damaged, it is likely to contain substantial electrical charge and can cause injury or death if mishandled. Mechanical damage can lead to danger. Battery products exposed to high temperature conditions, may produce heat out of control, causing fire.
--	---

◆ Health hazards

Inhaled	According to the material form, it is not the normal way of contacting.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	No harm in general situation.
Eye	This product may cause temporary discomfort following direct contact with the eye.

◆ Environmental hazards

	Please refer to 12th chapter of SDS.
--	--------------------------------------

3 Composition/information on ingredients**Substance/mixture**

	Mixture
--	---------

Component	CAS No.	EC No.	Concentration (wt, %)
Lithium Iron phosphate	15365-14-7	604-917-2	Commercial secrets
Graphite	7782-42-5	231-955-3	Commercial secrets
Copper	7440-50-8	231-159-6	Commercial secrets
Aluminium	7429-90-5	231-072-3	Commercial secrets
Poly(vinylidene difluoride)	24937-79-9	607-458-6	Commercial secrets

Carbon black	1333-86-4	215-609-9	Commercial secrets
Polyacrylic acid	9003-01-4	618-347-7	Commercial secrets
Lithium hexafluorophosphate	21324-40-3	244-334-7	Commercial secrets
Nickel	7440-02-0	231-111-4	Commercial secrets

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	No harm in general situation. First aid is not needed.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

1	Please see section 11.
---	------------------------

Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use extinguishing media suitable for surrounding area.
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.

Specific hazards arising from the substance or mixture

1	Development of hazardous combustion gases or vapor possible in the event of fire.
2	May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

1	Ensure adequate ventilation. Remove all sources of ignition.
2	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

3	Use personal protective equipment,do not breathe dust/fume.
---	---

Environmental precautions

1	Prevent further leakage or spillage if safe to do so.
2	Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

1	Cut off the source of the leak as much as possible.
2	Keep leaks in a ventilated place.
3	Isolation of contaminated areas and restrictions on access.
4	It is recommended that emergency personnel wear dust masks.
5	Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.
6	Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7 Handling and storage

Precautions for safe handling

1	Handling is performed in a well ventilated place.
2	Avoid contact with eyes.
3	Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
Graphite	USA - OSHA	-	15	-	-
	South Korea	-	2	-	-
	Ireland	-	10	-	-
	Germany (DFG)	-	4	-	-
	Denmark	-	2.5	-	5
	Australia	-	3 (4)	-	-
Copper	The Netherlands	-	0.1	-	-
	Poland	-	0.2	-	-
	Latvia	-	0.5	-	1
	Germany (DFG)	-	0.01	-	0.02
Aluminium	USA - OSHA	-	15	-	-

	South Korea	-	10	-	-
	Ireland	-	1	-	-
	Germany (DFG)	-	4	-	-
	Denmark	-	5	-	10
	Australia	-	10	-	-
Carbon black	USA - OSHA	-	3.5	-	-
	South Korea	-	3.5	-	-
	Ireland	-	3.5	-	7
	France	-	3.5	-	-
	Denmark	-	3.5	-	7
	Australia	-	3	-	-
Nickel	USA - OSHA	-	1	-	-
	South Korea	-	1	-	-
	Ireland	-	0.5	-	-
	Hungary	-	0.1	-	0.1
	Denmark	-	0.05	-	0.1
	Australia	-	1	-	-

◆ Biological limit values

Component	Standard	Biological monitoring index	Biological limits value	Sampling time	Remark
Lithium hexafluorophosphate	SCOEL(EU)	Fluorine/urine	8mg/L	end of shift	

◆ Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 300.1~GBZ/T 300.160-2017; GBZ/T 300.161~GBZ/T 300.164-2018 Determination of toxic substances in workplace air (Series standard).

| **Engineering controls**

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Set up emergency exit and necessary risk-elimination area.
4	Handle in accordance with good industrial hygiene and safety practice.

| **Personal protection equipment**

General requirement	No special requirements, please see the description below.
Eye protection	In general situation, eye protection is not needed. In the production process, when contacting with vapour or dust, tightly fitting safety goggles.
Hand protection	In general situation, hand protection is not needed.
Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.

Skin and body protection	In general situation, skin and body protection are not needed.
---------------------------------	--

9 Physical and chemical properties and safety characteristics

Physical and chemical properties

Physical state	Solid (cubic lithium-ion battery, individually packaged, battery parameters: 32V 148Ah 4736Wh)
Colour	Silver
Odor	No special odor
Odor threshold	No information available
pH	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling range(°C)	No information available
Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	Not flammable
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available ; Lower limit: No information available
Vapor pressure	Not applicable
Relative vapour density(Air = 1)	Not applicable
Relative density(Water=1)	No information available
Solubility	Insoluble in water
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	Not applicable
Particle characteristics	No information available

10 Stability and reactivity

Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	Mixtures with metallic acetylene, when heated, cause a fire or incandescence. Reacts severely with halogens, interhalogens or other strong oxidants, or causes a fire.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Metal acetylide, halogen, interhalogen, halogen oxides, nitric acid, nitrous oxide, nitrates, nitrites, halogen oxyacid salts, chromates, permanganates, inorganic peroxides, metal oxides and peroxyformic acid.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information**| Acute toxicity**

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Carbon black	> 15400mg/kg(Rat)	> 3000mg/kg(Rabbit)	No information available
Polyacrylic acid	2500mg/kg(Rat)	No information available	No information available

| Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
Lithium Iron phosphate	Not Listed	Not Listed
Graphite	Not Listed	Not Listed
Copper	Not Listed	Not Listed
Aluminium	Not Listed	Not Listed
Poly(vinylidene difluoride)	Not Listed	Not Listed
Carbon black	Category 2B	Not Listed
Polyacrylic acid	Category 3	Not Listed
Lithium hexafluorophosphate	Not Listed	Not Listed
Nickel	Category 2B	Category R

| Others

Rechargeable Li-ion Battery H32148-C 32V 148Ah 4736Wh	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Reproductive toxicity(additional)	Based on available data, the classification criteria are not met

12 Ecological information**| Acute aquatic toxicity**

Component	Fish	Crustaceans	Algae
Aluminium	LC ₅₀ : 1.55mg/L (96h)(Fish)	No information available	No information available
Nickel	LC ₅₀ : 40mg/L (96h)(Fish)	EC ₅₀ : 1mg/L (48h)(Crustaceans)	No information available
Copper	LC ₅₀ : 0.665mg/L	EC ₅₀ : 0.02mg/L	ErC ₅₀ : 7.9mg/L

	(96h)(Fish)	(48h)(Crustaceans)	(96h)(Algae)
--	-------------	--------------------	--------------

Chronic aquatic toxicity

Chronic aquatic toxicity	No information available
--------------------------	--------------------------

Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Graphite	Low	Low
Nickel	Low	Low

Bioaccumulative potential

Component	Bioaccumulative potential	Comments
Graphite	Low	Log Kow=0.5294
Nickel	Low	Log Kow=-1.38

Mobility in soil

Component	Mobility in soil	Soil Organic Carbon-Water Partitioning Coefficient (Koc)
Graphite	Low	23.74
Nickel	Low	14.3

Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Graphite	Not applicable
Copper	Not applicable
Aluminium	Not applicable
Carbon black	Not PBT/vPvB
Lithium hexafluorophosphate	Not applicable
Nickel	Not applicable


13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label	
---------------------------	---

IMDG-CODE

UN number	3480
UN proper shipping name	LITHIUM ION BATTERIES (including lithium ion polymer batteries)
Transport hazard class	9
Transport subsidiary hazard class	None
Packing group	The packaging must meet the performance level of type II packaging
Special provisions	188 230 310 348 376 377
Limited quantities	0
Excepted quantities	E0
Marine pollutant (Yes or no)	No
EmS No.	F-A,S-I

IATA-DGR

UN number	3480
UN proper shipping name	LITHIUM ION BATTERIES (including lithium ion polymer batteries)
Transport hazard class	9
Transport subsidiary hazard class	None
Packing group	The packaging must meet the performance level of type II packaging
Excepted quantities	E0
Passenger and Cargo Aircraft Limited Quantity Packing Instructions	Forbidden
Passenger and Cargo Aircraft Limited Quantity Maximum net Quantity per Package	Forbidden
Passenger and Cargo Aircraft Packing Instructions	See 965
Passenger and Cargo Aircraft Maximum net Quantity per Package	-
Cargo Aircraft Packing Instructions	See 965
Cargo Aircraft Maximum net Quantity per Package	-
Special provisions	A88, A99, A154, A164, A183
ERG code	9F

UN-ADR

UN number	3480
UN proper shipping name	LITHIUM ION BATTERIES (including lithium ion polymer batteries)
Transport hazard class	9

Transport subsidiary hazard class	None
Packing group	The packaging must meet the performance level of type II packaging
Special provisions	188 230 310 348 376 377 636
Limited quantities	0
Excepted quantities	E0
Packing instructions	P903 P908 P909 LP903 LP904
Special packing provisions	-
Mixed packing provisions	-
Portable tanks and bulk containers instructions	-
Portable tanks and bulk containers special provisions	-
ADR tank code	-
ADR tank special provisions	-
Vehicle for tank carriage	-
Transport category(Tunnel restriction code)	2 (E)
Special provisions for carriage(Packages)	-
Special provisions for carriage (Bulk)	-
Special provisions for carriage (Loading, unloading and handling)	-
Special provisions for carriage (Operation)	-
Hazard identification No.	-
Notes	-

15 Regulatory information

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AIIC	ENCS
Lithium Iron phosphate	×	√	√	√	×	×	√	×	×
Graphite	√	√	√	√	√	√	√	√	×
Copper	√	√	√	√	√	√	√	√	√
Aluminium	√	√	√	√	×	√	√	√	√
Poly(vinylidene difluoride)	×	√	√	√	√	√	√	√	√
Carbon black	√	√	√	√	√	√	√	√	√
Polyacrylic acid	×	√	√	√	√	√	√	√	√
Lithium hexafluorophosphate	√	√	×	√	×	√	√	√	×
Nickel	√	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances

[TSCA] United States Toxic Substances Control Act Inventory

[DSL]	Canadian Domestic Substances List
[IECSC]	China Inventory of Existing Chemical Substances
[NZIoC]	New Zealand Inventory of Chemicals
[PICCS]	Philippines Inventory of Chemicals and Chemical Substances
[KECI]	Korea Existing Chemicals Inventory
[AIIC]	Australia. Inventory of Industrial Chemicals (AIIC)
[ENCS]	Japan Inventory of Existing & New Chemical Substances

Note:

- “√” Indicates that the substance included in the regulations.
 “x” No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2021/09/15
Revision Date	2021/09/15
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>.
- [2] IARC, website: <http://www.iarc.fr/>.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: <https://www.echemportal.org/echemportal/substancesearch/index.action>.
- [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.
- [5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.
- [6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.
- [7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.
- [8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC- STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG	International Maritime Dangerous Goods
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC _x	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P _{ow}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor		

Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.